



[Flex Components and Classes](#)

[Accordion](#), [Alert](#), [AlignStyles](#), [AnchorStyles](#), [Application](#), [ApplicationControlBar](#), [BarColorStyle](#), [BorderStyles](#), [Box](#), [BoxDivider](#), [Button](#), [ButtonBar](#), [CalendarLayout](#), [ColorPicker](#), [ComboBase](#), [ComboBox](#), [Container](#), [CursorManager](#), [DataGrid](#), [DataGridColumn](#), [DateChooser](#), [DateField](#), [DividedBox](#), [DragManager](#), [FillStyles](#), [FocusStyles](#), [Form](#), [FormHeading](#), [FormItem](#), [GapStyles](#), [Grid](#), [GridRow](#), [HRule](#), [HScrollBar](#), [HSlider](#), [IconColorStyles](#), [Label](#), [LayoutContainer](#), [LeadingStyle](#), [LinkBar](#), [LinkButton](#), [ListBase](#), [ListBaseContentHolder](#), [ListItemRenderer](#), [Menu](#), [MenuBar](#), [MenuItemRenderer](#), [ModalTransparencyStyles](#), [NumericStepper](#), [PaddingStyles](#), [Panel](#), [PopUpButton](#), [PopUpMenuButton](#), [ProgressBar](#), [SWFLoader](#), [ScrollBar](#), [ScrollControlBase](#), [SelectedFillColorsStyle](#), [SkinStyles](#), [Slider](#), [TabBar](#), [TabNavigator](#), [TextArea](#), [TextInput](#), [TextStyles](#), [Tile](#), [TileListItemRenderer](#), [TitleWindow](#), [ToggleButtonBar](#), [ToolBar](#), [Tree](#), [TreeItemRenderer](#), [UIComponent](#), [VRule](#), [VScrollBar](#), [VSlider](#), [ViewStack](#), [WatchPanel](#)

[View All Classes](#), [View All Packages](#)

Accordion

Styles Including Inheritance

```
headerHeight="depends on header font styles"  
headerStyleName="No default"  
horizontalGap=" 8 "  
openDuration=" 250 "  
openEasingFunction="undefined"  
paddingBottom="-1 "  
paddingTop="-1 "  
textRollOverColor="0xB333C"  
textSelectedColor="0xB333C"  
verticalGap="-1 "
```

fillAlphas

fillColors

focusAlpha

focusRoundedCorners

focusSkin

focusThickness

headerStyleName

horizontalGap

headerHeight

openDuration

openEasingFunction

paddingBottom

paddingTop

selectedFillColors

textRollOverColor

textSelectedColor

verticalGap

ApplicationControlBar

Styles Including Inheritance

```
fillAlphas="[0, 0]"
fillColors="[0xFFFFFFFF, 0xFFFFFFFF]"
```

fillAlphas

fillColors

Box

Styles Including Inheritance

```
horizontalAlign="left | center | right "
horizontalGap=" 8 "
paddingBottom=" 0 "
paddingTop=" 0 "
verticalAlign="top | middle | bottom"
verticalGap=" 6 "
```

paddingBottom

paddingTop

DividedBox

Styles Including Inheritance

```
dividerAffordance=" 6 "
dividerAlpha=" 0.75 "
dividerColor=" 0x6F7777 "
dividerSkin="BoxDividerSkin"
dividerThickness=" 3 "
horizontalDividerCursor="mx.skins.cursor.HBoxDivider"
verticalDividerCursor="mx.skins.cursor.VBoxDivider"
```

dividerAffordance

dividerAlpha

dividerColor

dividerSkin

dividerThickness

horizontalDividerCursor

verticalDividerCursor

Form

Styles Including Inheritance

```
horizontalGap="8"  
indicatorGap="14"  
labelWidth="Calculated"  
paddingBottom="16"  
paddingTop="16"  
verticalGap="6"
```

indicatorGap

labelWidth

paddingBottom

paddingTop

FormHeading

Styles Including Inheritance

```
color="0x0B333C"  
disabledColor="0xAAB3B3"  
fontAntiAliasType="advanced|normal"  
fontFamily="Verdana"  
fontGridFitType="pixel|subpixel|none"
```

```
fontSharpness="0"  
fontSize="12"  
fontStyle="normal|italic"  
fontThickness="0"  
fontWeight="normal|bold"  
indicatorGap="14"  
labelWidth="Calculated"  
leading="2"  
paddingLeft="0"  
paddingRight="0"  
paddingTop="0"  
textAlign="Calculated"  
textDecoration="none|underline"  
textIndent="0"
```

indicatorGap

labelWidth

paddingTop

FormItem

Styles Including Inheritance

```
horizontalAlign="left|center|right"  
horizontalGap="8"  
indicatorGap="14"  
indicatorSkin="Class; mx.container.FormItem.Required"  
labelStyleName=""  
labelWidth="Calculated"  
paddingBottom="0"  
paddingRight="0"  
paddingTop="0"  
verticalGap="6"
```

horizontalAlign

indicatorGap

indicatorSkin

labelStyleName

labelWidth

paddingBottom

paddingRight

paddingTop

Grid

Styles Including Inheritance

```
horizontalGap=" 8 "  
verticalGap=" 6 "
```

horizontalGap

verticalGap

GridRow

Styles Including Inheritance

```
horizontalAlign="left|center|right "  
verticalAlign="top|middle|bottom"
```

horizontalAlign

verticalAlign

Panel

Styles Including Inheritance

```
borderAlpha=" 0.4 "  
borderThicknessBottom="NaN "  
borderThicknessLeft=" 10 "  
borderThicknessRight=" 10 "  
borderThicknessTop=" 2 "  
controlBarStyleName="null "
```

```
cornerRadius="4"  
dropShadowEnabled="true|false"  
footerColors="null"  
headerColors="null"  
headerHeight="Based on style of title"  
highlightAlphas="[0.3,0]"  
horizontalAlign="left|center|right"  
horizontalGap="8"  
modalTransparency="0.5"  
modalTransparencyBlur="3"  
modalTransparencyColor="#DDDDDD"  
modalTransparencyDuration="100"  
paddingBottom="0"  
paddingTop="0"  
roundedBottomCorners="false|true"  
shadowDirection="center|left|right"  
shadowDistance="2"  
statusStyleName="windowStatus"  
titleBackgroundSkin="TitleBackground"  
titleStyleName="windowStyles"  
verticalAlign="top|middle|bottom"  
verticalGap="6"
```

borderAlpha

borderThicknessBottom

borderThicknessLeft

borderThicknessRight

borderThicknessTop

controlBarStyleName

cornerRadius

dropShadowEnabled

footerColors

headerColors

headerHeight

highlightAlphas

paddingBottom

paddingTop

roundedBottomCorners

shadowDirection

shadowDistance

statusStyleName

titleBackgroundSkin

titleStyleName

TabNavigator

Styles Including Inheritance

```
fillAlphas="[0.60, 0.40, 0.75, 0.65]"
fillColors="[0xFFFFFFFF, 0xCCCCCC, 0xFFFFFFFF, 0xEEEEEE]"
firstTabStyleName="Value of the tabStyleName property"
focusAlpha="0.4"
focusRoundedCorners="tl tr bl br"
horizontalAlign="left|center|right"
horizontalGap="-1"
lastTabStyleName="Value of the tabStyleName property"
selectedTabTextStyleName="undefined"
tabHeight="undefined"
tabOffset="0"
tabStyleName="Name of CSS style declaration that specifies styles for the tabs"
tabWidth="undefined"
```

firstTabStyleName

horizontalAlign

horizontalGap

lastTabStyleName

selectedTabTextStyleName

tabHeight

tabStyleName

tabWidth

tabOffset

Tile

Styles Including Inheritance

```
horizontalAlign="left|center|right"  
horizontalGap="8"  
paddingBottom="0"  
paddingTop="0"  
verticalAlign="top|middle|bottom"  
verticalGap="6"
```

horizontalAlign

horizontalGap

paddingBottom

paddingTop

verticalAlign

verticalGap

TitleWindow

closeButtonSkin

closeButtonDisabledSkin

closeButtonDownSkin

closeButtonOverSkin

closeButtonUpSkin

ViewStack

Styles Including Inheritance

```
horizontalGap="8"  
paddingBottom="0"  
paddingTop="0"  
verticalGap="6"
```

paddingBottom

paddingTop

BoxDivider

dividerAffordance

dividerAlpha

dividerColor

dividerThickness

Alert

buttonStyleName

messageStyleName

titleStyleName

Button

Styles Including Inheritance

```
borderColor="0xAAB3B3"  
color="0x0B333C"  
cornerRadius="4"  
disabledColor="0xAAB3B3"  
disabledIcon="null"  
disabledSkin="mx.skins.halo.ButtonSkin"  
downIcon="null"  
downSkin="mx.skins.halo.ButtonSkin"  
fillAlphas="[0.6, 0.4]"  
fillColors="[0xE6EEEE, 0xFFFFFFFF]"  
focusAlpha="0.5"
```

```
focusRoundedCorners"tl tr bl br"  
fontAntiAliasType="advanced"  
fontFamily="Verdana"  
fontGridFitType="pixel"  
fontSharpness="0"  
fontSize="10"  
fontStyle="normal|italic"  
fontThickness="0"  
fontWeight="bold|normal"  
highlightAlphas="[0.3, 0.0]"  
horizontalGap="2"  
icon="null"  
kerning="false|true"  
leading="2"  
letterSpacing="0"  
overIcon="null"  
overSkin="mx.skins.halo.ButtonSkin"  
paddingBottom="0"  
paddingLeft="0"  
paddingRight="0"  
paddingTop="0"  
repeatDelay="500"  
repeatInterval="35"  
selectedDisabledIcon="null"  
selectedDisabledSkin="mx.skins.halo.ButtonSkin"  
selectedDownIcon="null"  
selectedDownSkin="mx.skins.halo.ButtonSkin"  
selectedOverIcon="null"  
selectedOverSkin="mx.skins.halo.ButtonSkin"  
selectedUpIcon="null"  
selectedUpSkin="mx.skins.halo.ButtonSkin"  
skin="mx.skins.halo.ButtonSkin"  
textAlign="center|left|right"  
textDecoration="none|underline"  
textIndent="0"  
textRollOverColor="0x2B333C"  
textSelectedColor="0x000000"  
upIcon="null"  
upSkin="mx.skins.halo.ButtonSkin"  
verticalGap="2"
```

horizontalGap

paddingBottom

paddingTop

repeatDelay

repeatInterval

textRollOverColor

textSelectedColor

verticalGap

skin

upSkin

overSkin

downSkin

disabledSkin

selectedUpSkin

selectedOverSkin

selectedDownSkin

selectedDisabledSkin

icon

upIcon

overIcon

downIcon

disabledIcon

selectedUpIcon

selectedOverIcon

selectedDownIcon

selectedDisabledIcon

ButtonBar

Styles Including Inheritance

```
buttonHeight="undefined"  
buttonStyleName="Name of CSS style declaration, which specifies  
styles for the buttons"  
buttonWidth="undefined"  
firstButtonStyleName="The value of buttonStyleName"  
focusAlpha="0.4"
```

```
focusRoundedCorners="tl tr bl br"  
horizontalAlign="center|left|right"  
horizontalGap="0"  
lastButtonStyleName="The value of buttonStyleName"  
verticalAlign="middle|top|bottom"  
verticalGap="0"
```

buttonHeight

buttonStyleName

buttonWidth

firstButtonStyleName

horizontalAlign

horizontalGap

lastButtonStyleName

verticalAlign

verticalGap

CalendarLayout

rollOverIndicatorSkin

selectionIndicatorSkin

todayIndicatorSkin

todayStyleName

weekDayStyleName

ColorPicker

Styles Including Inheritance

```
borderColor="0xA5A9AE"  
closeDuration="250"  
closeEasingFunction="undefined"
```

```
color="0x0B333C"  
disabledIconColor="0x999999"  
fillAlphas="[0.6,0.4]"  
fillColors="[0xFFFFFFFF, 0xCCCCCC]"  
focusAlpha="0.5"  
focusRoundedCorners="tl tr bl br"  
fontAntiAliasType="advanced"  
fontfamily="Verdana"  
fontGridFitType="pixel"  
fontSharpness="0"  
fontSize="10"  
fontStyle="normal"  
fontThickness="0"  
fontWeight="normal"  
highlightAlphas="[0.3,0.0]"  
iconColor="0x000000"  
leading="2"  
openDuration="250"  
openEasingFunction="undefined"  
paddingBottom="5"  
paddingLeft="5"  
paddingRight="5"  
paddingTop="4"  
swatchBorderColor="0x000000"  
swatchBorderSize="1"  
swatchPanelStyleName="undefined"  
textAlign="left"  
textDecoration="none"  
textIndent="0"
```

backgroundColor

borderColor

closeDuration

closeEasingFunction

columnCount

fillAlphas

fillColors

highlightAlphas

horizontalGap

openDuration

openEasingFunction

paddingBottom

paddingLeft

paddingRight

paddingTop

previewHeight

previewWidth

swatchBorderColor

swatchBorderSize

swatchGridBackgroundColor

swatchGridBorderSize

swatchHeight

swatchHighlightColor

swatchHighlightSize

swatchPanelStyleName

swatchWidth

textFieldStyleName

textFieldWidth

verticalGap

ComboBase

Styles Including Inheritance

```
disabledSkin="Depends on class"  
downSkin="Depends on class"  
editableDisabledSkin="Depends on class"  
editableDownSkin="Depends on class"  
editableOverSkin="Depends on class"  
editableUpSkin="Depends on class"  
overSkin="Depends on class"  
textInputStyleName=""  
upSkin="Depends on class"
```

skin

upSkin

overSkin

downSkin

disabledSkin

editableUpSkin

editableOverSkin

editableDownSkin

editableDisabledSkin

textInputStyleName

ComboBox

Styles Including Inheritance

```
alternatingItemColors="undefined"
arrowButtonWidth="22"
borderColor="0xB7BAABC"
borderThickness="1"
closeDuration="250"
closeEasingFunction="undefined"
color="0x0B333C"
cornerRadius="0"
disabledColor="0xAAB3B3"
disabledIconColor="0x919999"
dropdownBorderColor="undefined"
dropdownStyleName="comboDropdown"
fillAlphas="[0.6,0.4]"
fillColors="[0xFFFFFFFF, 0xC00000]"
focusAlpha="0.4"
focusRoundedCorners="tl tr bl br"
fontAntiAliasType="advanced|normal"
fontFamily="Verdana"
fontGridFitType="pixel|none|subpixel"
fontSharpness="0"
fontSize="10"
fontStyle="normal|italic"
fontThickness="0"
fontWeight="normal|bold"
highlightAlphas="[0.3,0.0]"
iconColor="0x111111"
```

```
leading=" 0 "  
openDuration=" 250 "  
openEasingFunction="undefined"  
paddingTop=" 0 "  
paddingBottom=" 0 "  
paddingLeft=" 5 "  
paddingRight=" 5 "  
rollOverColor="Depends on theme color"  
selectionColor="Depends on theme color"  
selectionDuration=" 250 "  
selectionEasingFunction="undefined"  
textAlign="left | center | right"  
textDecoration="none | underline"  
textIndent=" 0 "  
textRollOverColor=" 0x2B333C "  
textSelectedColor=" 0x2B333C "
```

alternatingItemColors

arrowButtonWidth

borderThickness

closeDuration

closeEasingFunction

dropdownBorderColor

dropDownStyleName

dropdownStyleName

openDuration

openEasingFunction

paddingBottom

paddingTop

rollOverColor

selectionColor

selectionDuration

selectionEasingFunction

textRollOverColor

textSelectedColor

DataGrid

Styles Including Inheritance

```
backgroundDisabledColor="0xEFEFEF"  
columnDropIndicatorSkin="DataGridColumnDropIndicator"  
columnResizeSkin="DataGridColumnResizeSkin"  
disabledIconColor="0x999999"  
headerColors="[#FFFFFF, #E6E6E6]"  
headerDragProxyStyleName="headerDragProxyStyle"  
headerSeparatorSkin="DataGridHeaderSeparator"  
headerStyleName="dataGridStyles"  
horizontalGridLineColor="No default"  
horizontalGridLines="false|true"  
horizontalLockedSeparatorSkin="undefined"  
horizontalSeparatorSkin="undefined"  
iconColor="0x111111"  
rollOverColor="#E3FFD6"  
selectionColor="#CDFFC1"  
sortArrowSkin="DataGridSortArrow"  
stretchCursor="DataGridStretchCursor"  
verticalGridLineColor="#666666"  
verticalGridLines="false|true"  
verticalLockedSeparatorSkin="undefined"  
verticalSeparatorSkin="undefined"
```

verticalGridLines

horizontalGridLines

verticalGridLineColor

horizontalGridLineColor

headerColors

rollOverColor

selectionColor

headerStyleName

columnResizeSkin

headerBackgroundSkin

headerSeparatorSkin

horizontalSeparatorSkin

horizontalLockedSeparatorSkin

verticalSeparatorSkin

verticalLockedSeparatorSkin

sortArrowSkin

stretchCursor

columnDropIndicatorSkin

headerDragProxyStyleName

DateChooser

Styles Including Inheritance

```
backgroundColor="0xFFFFFFFF"
backgroundAlpha="1.0"
borderColor="0xAAB3B3"
borderThickness="1"
color="0x0B333C"
cornerRadius="0"
disabledColor="0xAAB3B3"
disabledIconColor="0x999999"
fillAlphas="[0.6, 0.4]"
fillColors="[0xFFFFFFFF, 0CCCCCC]"
focusAlpha="0.5"
focusRoundedCorners"tl tr bl br"
fontAntiAliasType="advanced"
fontFamily="Verdana"
fontGridFitType="pixel"
fontSharpness="0"
fontSize="10"
fontStyle="normal|italic"
fontThickness="0"
fontWeight="normal|bold"
headerColors="[0xE1E5EB, 0xF4F5F7]"
headerStyleName="No default"
highlightAlphas="[0.3, 0.0]"
horizontalGap="8"
iconColor="0x111111"
leading="2"
nextMonthDisabledSkin="DateChooserMonthArrowSkin"
nextMonthDownSkin="DateChooserMonthArrowSkin"
nextMonthOverSkin="DateChooserMonthArrowSkin"
nextMonthUpSkin="DateChooserMonthArrowSkin"
```

```
nextYearDisabledSkin="DateChooserYearArrowSkin"  
nextYearDownSkin="DateChooserYearArrowSkin"  
nextYearOverSkin="DateChooserYearArrowSkin"  
nextYearUpSkin="DateChooserYearArrowSkin"  
prevMonthDisabledSkin="DateChooserMonthArrowSkin"  
prevMonthDownSkin="DateChooserMonthArrowSkin"  
prevMonthOverSkin="DateChooserMonthArrowSkin"  
prevMonthUpSkin="DateChooserMonthArrowSkin"  
prevYearDisabledSkin="DateChooserYearArrowSkin"  
prevYearDownSkin="DateChooserYearArrowSkin"  
prevYearOverSkin="DateChooserYearArrowSkin"  
prevYearUpSkin="DateChooserYearArrowSkin"  
rollOverColor="0xEEFEE6"  
rollOverIndicatorSkin="DateChooserIndicator"  
selectionColor="0xB7F39B"  
selectionIndicatorSkin="DateChooserIndicator"  
textAlign="left|right|center"  
textDecoration="none|underline"  
textIndent="0"  
todayColor="0x2B333C"  
todayIndicatorSkin="DateChooserIndicator"  
todayStyleName="White"  
verticalGap="6"  
weekDayStyleName="Bold"
```

backgroundAlpha

backgroundColor

borderColor

borderThickness

cornerRadius

fillAlphas

fillColors

headerColors

headerStyleName

highlightAlphas

nextMonthSkin

nextMonthDisabledSkin

nextMonthDownSkin

nextMonthOverSkin

nextMonthUpSkin

nextYearSkin

nextYearDisabledSkin

nextYearDownSkin

nextYearOverSkin nextYearUpSkin

prevMonthSkin

prevMonthDisabledSkin

prevMonthDownSkin

prevMonthOverSkin

prevMonthUpSkin

prevYearSkin

prevYearDisabledSkin

prevYearDownSkin

prevYearOverSkin

prevYearUpSkin

rollOverColor

rollOverIndicatorSkin

selectionColor

selectionIndicatorSkin

todayColor

todayIndicatorSkin

todayStyleName

weekDayStyleName